
link.mongo Documentation

Release 0.10

David Delassus

September 02, 2016

1 Installation	3
2 Contents	5
2.1 API documentation	5
3 Donating	7
Python Module Index	9

link.mongo is a MongoDB driver for **link.dbrequest** query system.

Check out the source code on [Github](#).

Installation

```
pip install link.mongo
```

Contents

2.1 API documentation

2.1.1 link.mongo package

Submodules

link.mongo.driver module

```
class link.mongo.driver.MongoQueryDriver (*args, **kwargs)
    Bases: link.dbrequest.driver.Driver

    cursor_class
        alias of MongoCursor

    process_query (query)
```

link.mongo.model module

```
class link.mongo.model.MongoCursor (*args, **kwargs)
    Bases: link.dbrequest.model.Cursor

    driver
    to_model (doc)
```

link.mongo.storage module

```
class link.mongo.storage.MongoStorage (auth_database=None, auth_mechanism='SCRAM-SHA-
    1', auth_mechanism_props=None, *args, **kwargs)
    Bases: link.middleware.connectable.ConnectableMiddleware

    aggregate (pipeline)
    collection
    count (mfilter, skip=None, limit=None)
    database
    delete (mfilter, multi=True)
    find (mfilter, skip=None, limit=None)
```

```
insert (docs)
update (mfilter, spec, multi=True)
```

Module contents

2.1.2 link.mongo.ast package

Submodules

[link.mongo.ast.filter module](#)

[link.mongo.ast.insert module](#)

Module contents

CHAPTER 3

Donating

|

[link.mongo](#), 6
[link.mongo.ast](#), 6
[link.mongo.driver](#), 5
[link.mongo.model](#), 5
[link.mongo.storage](#), 5

A

aggregate() (link.mongo.storage.MongoStorage method), [5](#) update() (link.mongo.storage.MongoStorage method), [6](#)

U

C

collection (link.mongo.storage.MongoStorage attribute), [5](#) count() (link.mongo.storage.MongoStorage method), [5](#) cursor_class (link.mongo.driver.MongoQueryDriver attribute), [5](#)

D

database (link.mongo.storage.MongoStorage attribute), [5](#) delete() (link.mongo.storage.MongoStorage method), [5](#) driver (link.mongo.model.MongoCursor attribute), [5](#)

F

find() (link.mongo.storage.MongoStorage method), [5](#)

I

insert() (link.mongo.storage.MongoStorage method), [6](#)

L

link.mongo (module), [6](#) link.mongo.ast (module), [6](#) link.mongo.driver (module), [5](#) link.mongo.model (module), [5](#) link.mongo.storage (module), [5](#)

M

MongoCursor (class in link.mongo.model), [5](#) MongoQueryDriver (class in link.mongo.driver), [5](#) MongoStorage (class in link.mongo.storage), [5](#)

P

process_query() (link.mongo.driver.MongoQueryDriver method), [5](#)

T

to_model() (link.mongo.model.MongoCursor method), [5](#)